

INSTALLATION INSTRUCTIONS

XKURSION XT CO-PILOT TANK BAG

5294

THANK YOU FOR CHOOSING KURYAKYN!

Protect yourself and others from possible injury and property damage or loss. Pay close attention to all instructions, warnings, cautions, and notices regarding the installation, use, and care of this product.

WARNING THIS INDICATION ALERTS YOU TO THE FACT THAT IGNORING THE CONTENTS DESCRIBED HEREIN CAN RESULT IN POTENTIAL DEATH OR SERIOUS INJURY.

CAUTION THIS INDICATION ALERTS YOU TO THE FACT THAT IGNORING THE CONTENTS DESCRIBED HEREIN CAN RESULT IN MINOR OR MODERATE POTENTIAL INJURY.

NOTICE THIS INDICATION ALERTS YOU TO THE FACT THAT IGNORING THE CONTENTS DESCRIBED HEREIN MAY NEGATIVELY AFFECT PRODUCT PERFORMANCE AND FUNCTIONALITY OR DAMAGE THE PRODUCT ITSELF OR THE PRODUCT TO WHICH IT IS BEING ATTACHED.

ENSURE THAT THE FOLLOWING PARTS HAVE BEEN INCLUDED IN THE KIT:

1	Tank Bag	1	Strap - Bag Harness
1	Sun Screen	1	Strap - Fork Strap
1	Rain Cover	1	Strap - Frame Strap
1	Sunglasses Holder	2	Strap - Single Male Buckle with Loop

NOTICE

THESE INSTALLATION INSTRUCTIONS CONTAIN IMPORTANT INFORMATION. ENSURE THE END USER RECEIVES THIS COPY AND IS AWARE OF ITS IMPORTANCE FOR FUTURE USE.

STEP 1

Read and understand all steps in the instructions before starting the installation. Park the motorcycle on a hard, level surface and turn off the ignition. Let motorcycle cool.

CAUTION

KURYAKYN IS NOT RESPONSIBLE FOR IMPROPER LOADS OR UNSAFE POSITIONING OF THE XKURSION XT CO-PILOT TANK BAG. BE SURE THE WEIGHT OF THE CONTENTS IN THE BAG DOES NOT EXCEED SAFE LIMITS. IT IS THE RIDERS RESPONSIBILITY TO DETERMINE WHAT THE SAFE LIMIT IS BASED ON THE POSITION OF THE BAG, PROPER SECURING OF THE BAG AND WEIGHT LIMITS CALLED OUT BY THE MANUFACTURER OF THE MOTORCYCLE.

NOTICE

ATTACHING THIS BAG TO YOUR MOTORCYCLE MAY MAR, DULL, OR SCRATCH THE SURFACE TO WHICH IT IS ATTACHED.

KURYAKYN WILL NOT REPLACE ANY PARTS DAMAGED BY INSTALLATION OF THIS BAG. KEEP THE MAGNETIC MOUNTING PAD SURFACE AS CLEAN AS POSSIBLE TO REDUCE DAMAGE. THOROUGHLY CLEAN THE MOUNTING SURFACE BEFORE ATTACHING THE MOUNTING PAD.

IT IS THE END USER'S RESPONSIBILITY TO UNDERSTAND THAT PLACING ITEMS ON PAINTED SURFACES MAY CAUSE DAMAGE.

THE XKURSION XT CO-PILOT TANK BAG IS INTENDED FOR MOUNTING ON FUEL TANK (WITH OR WITHOUT CENTER DASH PANEL). MOUNT TO MAGNETIC TANKS USING THE INCLUDED MAGNETIC MOUNTING PAD OR USE FORK STRAP AND FRAME STRAP TO MOUNT ON NON-MAGNETIC TANKS.

WARNING

DO NOT ATTEMPT TO USE YOUR DEVICE WHILE OPERATING THE MOTORCYCLE. KEEP YOUR EYES ON THE ROAD. DISTRACTED RIDING CAN CAUSE A CRASH RESULTING IN DEATH OR SERIOUS INJURY.



BAG
HARNES
STRAP



SUN
SCREEN

SINGLE
MALE
BUCKLE

SUNGLASSES
HOLDER

FRAME
STRAP

INSTALLATION INSTRUCTIONS

XKURSION XT CO-PILOT TANK BAG

5294

-CONTINUED-

WARNING PREVENT POTENTIAL SERIOUS INJURY! ENSURE BAG IS FASTENED AND STRAPS ARE SECURE BEFORE RIDING THE MOTORCYCLE.

NOTICE THIS BAG IS NOT WATER-PROOF. USE THE INCLUDED RAIN COVER IN INCLEMENT WEATHER TO ASSIST IN PROVIDING A WEATHER-RESISTANT STORAGE AREA.

WARNING DO NOT ATTEMPT TO ACCESS STORED ITEMS WHILE DRIVING. DO NOT DISTRACT YOURSELF. DISTRACTED RIDING CAN CAUSE A CRASH RESULTING IN DEATH OR SERIOUS INJURY.

FEATURES

- Magnetic tank mounting base with optional mounting strap kit
- High contrast visibility liner
- Grey reflective elements on the outside of the bag
- Touch-sensitive clear window
- Touch-sensitive rain cover, and its own stowaway pocket
- Detachable sun screen cover
- Glove friendly zipper pulls
- Magnetic harness
- Electronics storage for up to a 12" tablet
- Audio/power ports
- Formed and removable sunglasses case that mounts in place
- Key clip and catch-all pockets
- Low profile handle

MOUNTING SUGGESTIONS

Typical Installation: The Xkursion XT Co-Pilot Tank Bag (with Removable Magnetic Mounting Pad) is intended to install on most fuel tanks (with or without a center dash).

Remove the bag from the Removable Magnetic Mount Pad at the hook and loop point on the bottom side of the bag.

Using Straps:

- **FRAME STRAP:** connects to bottom female buckles of bag harness strap. Connect strap buckle to harness buckle on one side, wrap the strap down/around/under the tank and frame, and connect it to the other bottom female buckle. Tighten straps as needed.
- **FORK STRAP:** connects to top female buckles of bag harness strap. Connect strap buckle to harness buckle on one side, wrap the strap around the motorcycle's neck, and connect it to the other top female buckle. Tighten straps as needed.
- **SINGLE MALE BUCKLE WITH LOOP:** connects to top or bottom female buckles of bag harness strap. Determine mounting point (neck, fork covers, etc). Wrap strap around mounting point, feed the buckle end of the strap through the loop, and cinch loop tight. Connect strap to harness buckle. Tighten straps as needed.

NOTICE

IT IS THE INSTALLER'S RESPONSIBILITY TO ENSURE THAT ALL OF THE FASTENERS (INCLUDING PRE-ASSEMBLED) ARE TIGHTENED BEFORE OPERATION OF THE MOTORCYCLE. KURYAKYN WILL NOT PROVIDE WARRANTY COVERAGE ON PRODUCTS OR COMPONENTS LOST DUE TO IMPROPER INSTALLATION OR LACK OF MAINTENANCE. PERIODIC INSPECTION AND MAINTENANCE ARE REQUIRED ON ALL FASTENERS.



RAIN COVER



INSTALLATION INSTRUCTIONS

XKURSION XT CO-PILOT TANK BAG

5294

-CONTINUED-

LIMITED WARRANTY

Kuryakyn warrants that any Kuryakyn products sold hereunder, shall be free of defects in materials & workmanship for a period of one (1) year from the date of purchase by the consumer excepting the following provisions:

1. Kuryakyn shall have no obligation in the event the customer is unable to provide a receipt showing the date the customer purchased the product(s).
2. The product must be properly installed, maintained & operated under normal conditions.
3. Kuryakyn shall not be liable for any consequential & incidental damages, including labor & paint, resulting from failure of a Kuryakyn product, failure to deliver, delay in delivery, delivery in nonconforming condition, or for any breach of contract or duty between Kuryakyn & a customer.
4. Kuryakyn products are often intended for use in specific applications. Kuryakyn makes no warranty if a Kuryakyn product is used in applications other than intended.
5. Kuryakyn electrical products are warranted for one (1) year from the date of purchase by the consumer. L.E.D.'s contained in components of Kuryakyn products will be warranted for defects in materials & workmanship for 3 years from the date of purchase whereas all other components shall be warranted for one (1) year.
6. All warranty claims must be directed to the place of purchase. Merchandise sold through internet auction sites or any other unauthorized reseller shall not carry a Kuryakyn warranty. If unsure, please contact the place of purchase to verify they are an authorized Kuryakyn reseller.

RETURN POLICY

Merchandise determined to be defective may be returned up to one year from the date of purchase. Returns must be processed through original seller. Returned merchandise for any other reason other than warranty claims must be in like new condition & subject to a 20% restocking fee. All returns are subject to inspection for determination of full or partial credit. Any returned part that shows evidence of being used or installed contrary to manufacturer's instructions, &/or subjected to improper handling, packaging or return shipping by the customer, will not be eligible for exchange, refund or warranty consideration. All returned electrical items will be inspected & tested. If electrical item is deemed functional, no credit will be issued & item will be returned. All sales are final on discontinued or closeout merchandise.

©2015 KURYAKYN HOLDINGS, LLC ALL RIGHTS RESERVED

KURYAKYN, KURYAKYN K logo and the marks appearing on this instruction sheet are registered and common law trademarks of Kuryakyn Holdings except noted third-party trademarks. A full listing of trademarks and trademark registrations owned by Kuryakyn Holdings can be found at www.kuryakyn.com/legal-notice.

Emissions Notice: The California Air Resources Board (CARB) does not permit the use of aftermarket emission-related parts(s) that alter the performance of OEM emission-related devices unless CARB has issued an Executive Order, other than on racing vehicles on closed courses. Check your local laws and manufacturer's information.

Listed Manufacturers and product model names are for reference only. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. All specifications are subject to change without notice.

For additional information on third-party product and company names, please consult our Web page at www.kuryakyn.com/legal-notice